Index of Authors

ALEXANDER, R. W. *see* JAMES, P. A.
ALLEN, E. J. *see* O'BRIEN, P. J.
ALLISON, M. F., ARMSTRONG, M. J., JAGGARD, K. W. and TODD, A. D. Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. I. Management and effectiveness of nitrate cover crops, 53
ALLISON, M. F., ARMSTRONG, M. J., JAGGARD, K. W. and TODD, A. D. Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. II. Effect of cover crops on growth, yield and N requirement of sugarbeet, 61
ARMSTRONG, M. J. *see* ALLISON, M. F.

BACON, E. T. G., HEWITT, M. V. and SHEPHERD, C. E. A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality, 377
BACON, E. T. G. *see also* SHIELD, I. F.
BAKER, P. J. *see* NEWMAN, R. E.
BARRY, T. N. *see* SEMIADI, G.
BATTS, G. R., ELLIS, R. H., MORISON, J. I. L., NKEMKA, P. N., GREGORY, P. J. and HADLEY, P. Yield and partitioning in crops of contrasting cultivars of winter wheat (*Triticum aestivum*) in response to CO_2 and temperature in field studies using temperature gradient tunnels, 17
BERNASCONI, C. *see* NEWMAN, R. E.
BRADSHAW, N. J. *see* HAIGH, P. M.

CHADWICK, D. R. *see* MISSELBROOK, T. H.
CIRIO, A. *see* NDIBUALONJI, B. B.
CONRY, M. J. Influence of seed rate and sowing date on the yield and grain quality of Blenheim spring malting barley in the south-east of Ireland, 307
CONRY, M. J. The effect of seedbed condition on the grain yield and quality of spring malting barley, 135
CROSBY, T. F. *see* O'DOHERTY, J. V.

DARWENT, A. L. *see* SOON, Y. K.
DEHARENG, D. *see* NDIBUALONJI, B. B.
DEWAR, A. M. *see* JAGGARD, K. W.
DIJKSTRA, J., FRANCE, J. and TAMMINGA, S. Quantification of the recycling of microbial nitrogen in the rumen using a mechanistic model of rumen fermentation processes, 81
DUŠKOVÁ, D. *see* MAROUNEK, M.

ELLIOTT, R. *see* PEIRIS, H.
ELLIS, R. H. *see* BATTS, G. R.
ESCHER, F. *see* GIRARDIN, O.
EVANS, D. R., WILLIAMS, T. A., JONES, S. and EVANS, S. A. The effect of cutting and intensive grazing managements on sward components of contrasting ryegrass and white clover types when grown in mixtures, 317
EVANS, S. A. *see* EVANS, D. R.

FARAH, Z. *see* GIRARDIN, O.
FIRMAN, D. M. *see* O'BRIEN, P. J.
FOULKES, M. J., SYLVESTER-BRADLEY, R. and SCOTT, R. K. Evidence for differences between winter wheat cultivars in acquisition of soil mineral nitrogen and uptake and utilization of applied fertilizer nitrogen, 29
FRANCE, J. *see* DIJKSTRA, J.

GIRARDIN, O., NINDJIN, C., FARAH, Z., ESCHER, F., STAMP, P. and OTOKORÉ, D. Effect of storage system and sprout removal on post-harvest yam (*Dioscorea* spp.) fresh weight losses, 329
GLÄSER, K. *see* VAHJEN, W.
GODEAU, J.-M. *see* NDIBUALONJI, B. B.
GREGORY, P. J. *see* BATTS, G. R.
GUTTERIDGE, R. J. *see* JENKYN, J. F.

HACKETT, C. A. *see* PHILLIPS, M. S.
HADLEY, P. *see* BATTS, G. R.
HAIGH, P. M. and BRADSHAW, N. J. Effect of cultivar and fungicide treatment on the yield and nutritive value of winter and spring oat grains grown in England and Wales, 1989–91, 411
HANCOCK, M. *see* PHILLIPS, M. S.
HANUS, H. *see* SIELING, K.
HARTMANN, F. *see* VAN RYSSEN, J. B. J.
HEADON, D. M. *see* MISSELBROOK, T. H.
HEWITT, J. D. J. *see* PEKRUN, C.
HEWITT, M. V. *see* BACON, E. T. G.
HOLLIDAY, J. M. *see* PHILLIPS, M. S.
HOLMES, C. W. *see* SEMIADI, G.

JACKSON, L. E. *see* MILLER, R. L.
JAGGARD, K. W., DEWAR, A. M. and PIDGEON, J. D. The relative effects of drought stress and virus yellows on the yield of sugarbeet in the UK, 1980–95, 337
JAGGARD, K. W. *see also* ALLISON, M. F.
JAMES, P. A. and ALEXANDER, R. W. Soil erosion and runoff in improved pastures of the Clwydian Range, North Wales, 473
JENKYN, J. F., GUTTERIDGE, R. J. and TODD, A. D. A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 3. Effects on diseases, 399
JESS, S. and MARKS, R. J. Effect of temperature and photoperiod on growth and reproduction of *Helix aspersa* var. *maxima*, 367
JONES, S. *see* EVANS, D. R.

KAUSHAL, P. and RAVI, Crossability of wild species of *Oryza* with *O. sativa* cvs. PR 106 and Pusa Basmati 1 for transfer of bacterial leaf blight resistance through interspecific hybridization, 423

KRAMER, H. *see* PETERS, M.

LEONHARD-MAREK, S., MAREK, M. and MARTENS, H. Effect of transmural potential difference on Mg transport across rumen epithelium from four different breeds of sheep, 241
LIAKATAS, A., ROUSSOPOULOS, D. and WHITTINGTON, W. J. Controlled-temperature effects on cotton yield and fibre properties, 463
LIAKATAS, A. *see also* ROUSSOPOULOS, D.
LIND, A.-M. *see* PETERSEN, S. O.
LUTMAN, P. J. W. *see* PEKRUN, C.

MAREK, M. *see* LEONHARD-MAREK, S.
MARKS, R. J. *see* JESS, S.
MAROUNEK, M., DUŠKOVÁ, D. and SKŘIVANOVÁ, V. Effect of non-ionophore feed antibiotics on *in vitro* fermentation in the ovine rumen and rabbit caecum, 115
MARTENS, H. *see* LEONHARD-MAREK, S.
MCCONNELL, S. J. *see* NEWMAN, R. E.
MEHROTRA, V. S. Arbuscular mycorrhizal associations of plants colonizing coal mine spoil in India, 125
MILLER, R. L. and JACKSON, L. E. Survey of vesicular–arbuscular mycorrhizae in lettuce production in relation to management and soil factors, 173
MISSELBROOK, T. H., CHADWICK, D. R., PAIN, B. F. and HEADON, D. M. Dietary manipulation as a means of decreasing N losses and methane emissions and improving herbage N uptake following application of pig slurry to grassland, 183
MORGAN, C. L. Mid-parent advantage and heterosis in F_1 hybrids of wheat from crosses among old and modern varieties, 287
MORISON, J. I. L. *see* BATTS, G. R.
MUIR, P. D. *see* SEMIADI, G.

NAYLOR, R. E. L and SU, J. Plant development of triticale cv. Lasko at different sowing dates, 297
NDIBUALONJI, B. B., RODRIGUEZ, M.-N., DEHARENG, D., CIRIO, A. and GODEAU, J.-M. Effects of late pregnancy and early lactation on renal urea handling in Corriedale ewes, 213
NEWMAN, R. E., MCCONNELL, S. J., WESTON, R. H., REEVES, M., BERNASCONI, C., BAKER, P. J. and WYNN, P. C. The relationship between plasma testosterone concentrations and the seasonal variation in voluntary feed intake in fallow bucks (*Dama dama*), 357
NINDJIN, C. *see* GIRARDIN, O.
NKEMKA, P. N. *see* BATTS, G. R.
NORTON, B. W. *see* PEIRIS, H.
NOWAKOWSKI, P. *see* O'DOHERTY, J. V.
NSAHLAI, I. V., UMUNNA, N. N. and OSUJI, P. O. Complementarity of bird-resistant and non-bird-resistant varieties of sorghum stover with cottonseed cake and noug (*Guizotia abyssinica*) cake when fed to sheep, 229

O'BRIEN, P. J., ALLEN, E. J. and FIRMAN, D. M. A review of some studies into tuber initiation in potato (*Solanum tuberosum*) crops, 251
O'BRIEN, P. J., FIRMAN, D. M. and ALLEN, E. J. Effects of shading and seed tuber spacing on initiation and number of tubers in potato crops (*Solanum tuberosum*), 431
O'DOHERTY, J. V., NOWAKOWSKI, P. and CROSBY, T. F. The effects of feeding grass silage and molassed sugarbeet pulp either separately or as an ensiled mixture to twin-bearing ewes, 217
OSUJI, P. O. *see* NSAHLAI, I. V.
OTOKORÉ, D. *see* GIRARDIN, O.

PAIN, B. F. *see* MISSELBROOK, T. H.
PATERSON, C. D. *see* RAHN, C. R.
PEIRIS, H., ELLIOTT, R. and NORTON, B. W. Supplementary grain and sodium propionate increase the liveweight gain and glucose entry rates of steers given molasses diets, 205
PEIRIS, H., ELLIOTT, R. and NORTON, B. W. Substitution of sorghum grain for molasses increases the liveweight gain of steers given molasses-based diets, 199
PEKRUN, C., HEWITT, J. D. J. and LUTMAN, P. J. W. Cultural control of volunteer oilseed rape (*Brassica napus*), 155
PERIS, S. J. *see* PESCADOR, M.
PESCADOR, M. and PERIS, S. J. The effects of great bustards (*Otis tarda*) on cultivated areas in west-central Spain , 9
PETERS, M., KRAMER, H., TARAWALI, S. A. and SCHULTZE-KRAFT, R. Characterization of a germplasm collection of the tropical pasture legume *Centrosema brasilianum* in subhumid west Africa, 139
PETERSEN, S. O., LIND, A.-M. and SOMMER, S. G. Nitrogen and organic matter losses during storage of cattle and pig manure, 69
PETTY, S. R., POPPI, D. P. and TRIGLONE, T. Effect of maize supplementation, seasonal temperature and humidity on the liveweight gain of steers grazing irrigated *Leucaena leucocephala*/*Digitaria eriantha* pastures in north-west Australia, 95
PHILLIPS, M. S., TRUDGILL, D. L., HACKETT, C. A., HANCOCK, M., HOLLIDAY, J. M. and SPAULL, A. M. A basis for predictive modelling of the relationship of potato yields to population density of the potato cyst nematode *Globodera pallida*, 45
PIDGEON, J. D. *see* JAGGARD, K. W.
POPPI, D. P. *see* PETTY, S. R.

RAHN, C. R., PATERSON, C. D. and VAIDYANATHAN, L. V. The use of measurements of soil mineral N in understanding the response of crops to fertilizer nitrogen in intensive cropping rotations, 345
RAVI, *see* KAUSHAL, P.
REEVES, M. *see* NEWMAN, R. E.
RODRIGUEZ, M.-N. *see* NDIBUALONJI, B. B.
ROUSSOPOULOS, D., LIAKATAS, A. and WHITTINGTON, W. J. Controlled-temperature effects on cotton growth and development, 451
ROUSSOPOULOS, D. *see also* LIAKATAS, A.

SCHÄFER, K. *see* VAHJEN, W.
SCHRÖDER, H. *see* SIELING, K.
SCHULTZE-KRAFT, R. *see* PETERS, M.
SCOTT, R. K. *see* FOULKES, M. J.
SEENEY, F. M. *see* WEBB, J.
SEMIADI, G., HOLMES, C. W., BARRY, T. N. and MUIR, P. D. The efficiency of utilization of energy and nitrogen in young sambar (*Cervus unicolor*) and red deer (*Cervus elaphus*), 193
SHEPHERD, C. E. *see* BACON, E. T. G.
SHIELD, I. F. and BACON, E. T. G. A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing

wheat without interruption. 2. Effects on vegetation and weed control, 389
SIELING, K., SCHRÖDER, H. and HANUS, H. Mineral and slurry nitrogen effects on yield, N uptake, and apparent N-use efficiency of oilseed rape (*Brassica napus*), 165
SIMON, O. *see* VAHJEN, W.
SINGH, A., SINGH, M. and SINGH, K. Productivity and economic viability of a palmarosa–pigeonpea intercropping system in the subtropical climate of north India, 149
SINGH, K. *see* SINGH, A.
SINGH, M. *see* SINGH, A.
SKŘIVANOVÁ, V. *see* MAROUNEK, M.
SOMMER, S. G. *see* PETERSEN, S. O.
SOON, Y. K. and DARWENT, A. L. Effect of integrated management of couch grass (*Elytrigia repens*) on soil quality and crop nutrition, 323
SPAULL, A. M. *see* PHILLIPS, M. S.
STAMP, P. *see* GIRARDIN, O.
SU, J. *see* NAYLOR, R. E. L
SYLVESTER-BRADLEY, R. *see* FOULKES, M. J., WEBB, J.

TAMMINGA, S. *see* DIJKSTRA, J.
TARAWALI, S. A. *see* PETERS, M.
TODD, A. D. *see* ALLISON, M. F., JENKYN, J. F.
TRIGLONE, T. *see* PETTY, S. R.
TRUDGILL, D. L. *see* PHILLIPS, M. S.

UMUNNA, N. N. *see* NSAHLAI, I. V.

VAHJEN, W., GLÄSER, K., SCHÄFER, K. and SIMON, O. Influence of xylanase-supplemented feed on the development of selected bacterial groups in the intestinal tract of broiler chicks, 489
VAIDYANATHAN, L. V. *see* RAHN, C. R.
VAN MALSEN, P. S.M. *see* VAN RYSSEN, J. B. J.
VAN RYSSEN, J. B. J., VAN MALSEN, P. S.M. and HARTMANN, F. The contribution of dietary sulphur to the interaction between selenium and copper in sheep, 107

WEBB, J., SEENEY, F. M. and SYLVESTER-BRADLEY, R. The response to fertilizer nitrogen of cereals grown on sandy soils, 271
WESTON, R. H. *see* NEWMAN, R. E.
WHITTINGTON, W. J. *see* LIAKATAS, A., ROUSSOPOULOS, D.
WILLIAMS, T. A. *see* EVANS, D. R.
WYNN, P. C. *see* NEWMAN, R. E.

YOUNG, I. M. Biophysical interactions at the root–soil interface: a review, 1

Index of Subjects

Barley
The effect of seedbed condition on the grain yield and quality of spring malting barley (Conry), 135
Influence of seed rate and sowing date on the yield and grain quality of Blenheim spring malting barley in the south-east of Ireland (Conry), 307
Bird damage
The effects of great bustards (*Otis tarda*) on cultivated areas in west-central Spain (Pescador and Peris), 9
***Brassica* crops**
Cultural control of volunteer oilseed rape (*Brassica napus*) (Pekrun *et al.*), 155
Mineral and slurry nitrogen effects on yield, N uptake, and apparent N-use efficiency of oilseed rape (*Brassica napus*) (Sieling *et al.*), 165
Breeding
Characterization of a germplasm collection of the tropical pasture legume *Centrosema brasilianum* in subhumid west Africa (Peters *et al.*), 139
Mid-parent advantage and heterosis in F_1 hybrids of wheat from crosses among old and modern varieties (Morgan), 287
Crossability of wild species of *Oryza* with *O. sativa* cvs PR 106 and Pusa Basmati 1 for transfer of bacterial leaf blight resistance through interspecific hybridization (Kaushal and Ravi), 423

Cajanus
Productivity and economic viability of a palmarosa–pigeonpea intercropping system in the subtropical climate of north India (Singh *et al.*), 149
Carbon dioxide
Yield and partitioning in crops of contrasting cultivars of winter wheat (*Triticum aestivum*) in response to CO_2 and temperature in field studies using temperature gradient tunnels (Batts *et al.*), 17
Cattle
Effect of maize supplementation, seasonal temperature and humidity on the liveweight gain of steers grazing irrigated *Leucaena leucocephala*/*Digitaria eriantha* pastures in north-west Australia (Petty *et al.*), 95
Substitution of sorghum grain for molasses increases the liveweight gain of steers given molasses-based diets (Peiris *et al.*), 199
Supplementary grain and sodium propionate increase the liveweight gain and glucose entry rates of steers given molasses diets (Peiris *et al.*), 205
Cereals
The response to fertilizer nitrogen of cereals grown on sandy soils (Webb *et al.*), 271
Copper
The contribution of dietary sulphur to the interaction between selenium and copper in sheep (van Ryssen *et al.*), 107
Cotton, *see Gossypium*
Couch grass, *see Elytrigia*
Cover crops
Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. I. Management and effectiveness of nitrate cover crops (Allison *et al.*), 53
Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. II. Effect of cover crops on growth, yield and N requirement of sugarbeet (Allison *et al.*), 61
Crops
The effects of great bustards (*Otis tarda*) on cultivated areas in west-central Spain (Pescador and Peris), 9

Deer
The efficiency of utilization of energy and nitrogen in young sambar (*Cervus unicolor*) and red deer (*Cervus elaphus*) (Semiadi *et al.*), 193
The relationship between plasma testosterone concentrations and the seasonal variation in voluntary feed intake in fallow bucks (*Dama dama*) (Newman *et al.*), 357
Diets
Effect of maize supplementation, seasonal temperature and humidity on the liveweight gain of steers grazing irrigated *Leucaena leucocephala*/*Digitaria eriantha* pastures in north-west Australia (Petty *et al.*), 95
The contribution of dietary sulphur to the interaction between selenium and copper in sheep (van Ryssen *et al.*), 107
Effect of non-ionophore feed antibiotics on *in vitro* fermentation in the ovine rumen and rabbit caecum (Marounek *et al.*), 115
Dietary manipulation as a means of decreasing N losses and methane emissions and improving herbage N uptake following application of pig slurry to grassland (Misselbrook *et al.*), 183
Substitution of sorghum grain for molasses increases the liveweight gain of steers given molasses-based diets (Peiris *et al.*), 199
Supplementary grain and sodium propionate increase the liveweight gain and glucose entry rates of steers given molasses diets (Peiris *et al.*), 205
The effects of feeding grass silage and molassed sugarbeet pulp either separately or as an ensiled mixture to twin-bearing ewes (O'Doherty *et al.*), 217
Complementarity of bird-resistant and non-bird-resistant varieties of sorghum stover with cottonseed cake and

noug (*Guizotia abyssinica*) cake when fed to sheep (Nsahlai *et al.*), 229
Influence of xylanase-supplemented feed on the development of selected bacterial groups in the intestinal tract of broiler chicks (Vahjen *et al.*), 489
Dioscorea
Effect of storage system and sprout removal on post-harvest yam (*Dioscorea* spp.) fresh weight losses (Girardin *et al.*), 329
Drought
The relative effects of drought stress and virus yellows on the yield of sugarbeet in the UK, 1980–95 (Jaggard *et al.*), 337

Elytrigia
Effect of integrated management of couch grass (*Elytrigia repens*) on soil quality and crop nutrition (Soon and Darwent), 323

Feed intake
The relationship between plasma testosterone concentrations and the seasonal variation in voluntary feed intake in fallow bucks (*Dama dama*) (Newman *et al.*), 357
Fungi
Arbuscular mycorrhizal associations of plants colonizing coal mine spoil in India (Mehrotra), 125
Survey of vesicular–arbuscular mycorrhizae in lettuce production in relation to management and soil factors (Miller and Jackson), 173

Genetics
Mid-parent advantage and heterosis in F_1 hybrids of wheat from crosses among old and modern varieties (Morgan), 287
Gossypium
Controlled-temperature effects on cotton growth and development (Roussopoulos *et al.*), 451
Controlled-temperature effects on cotton yield and fibre properties (Liakatas *et al.*), 463
Grazing
The effect of cutting and intensive grazing managements on sward components of contrasting ryegrass and white clover types when grown in mixtures (Evans *et al.*), 317
Growth rate
Substitution of sorghum grain for molasses increases the liveweight gain of steers given molasses-based diets (Peiris *et al.*), 199
Supplementary grain and sodium propionate increase the liveweight gain and glucose entry rates of steers given molasses diets (Peiris *et al.*), 205
Growth stages
Plant development of triticale cv. Lasko at different sowing dates (Naylor and Su), 297
Controlled-temperature effects on cotton growth and development (Roussopoulos *et al.*), 451

Hormones
The relationship between plasma testosterone concentrations and the seasonal variation in voluntary feed intake in fallow bucks (*Dama dama*) (Newman *et al.*), 357
Hybrids
Mid-parent advantage and heterosis in F_1 hybrids of wheat from crosses among old and modern varieties (Morgan), 287
Crossability of wild species of *Oryza* with *O. sativa* cvs PR 106 and Pusa Basmati 1 for transfer of bacterial leaf blight resistance through interspecific hybridization (Kaushal and Ravi), 423

Intercropping
Productivity and economic viability of a palmarosa–pigeonpea intercropping system in the subtropical climate of north India (Singh *et al.*), 149

Lactation
Effects of late pregnancy and early lactation on renal urea handling in Corriedale ewes (Ndibualonji *et al.*), 213
Legumes
Characterization of a germplasm collection of the tropical pasture legume *Centrosema brasilianum* in subhumid west Africa (Peters *et al.*), 139
Lettuce
Survey of vesicular–arbuscular mycorrhizae in lettuce production in relation to management and soil factors (Miller and Jackson), 173
Lolium
The effect of cutting and intensive grazing managements on sward components of contrasting ryegrass and white clover types when grown in mixtures (Evans *et al.*), 317

Magnesium
Effect of transmural potential difference on Mg transport across rumen epithelium from four different breeds of sheep (Leonhard-Marek *et al.*), 241
Maize
Effect of maize supplementation, seasonal temperature and humidity on the liveweight gain of steers grazing irrigated *Leucaena leucocephala*/*Digitaria eriantha* pastures in north-west Australia (Petty *et al.*), 95
Metabolism
The efficiency of utilization of energy and nitrogen in young sambar (*Cervus unicolor*) and red deer (*Cervus elaphus*) (Semiadi *et al.*), 193
Influence of xylanase-supplemented feed on the development of selected bacterial groups in the intestinal tract of broiler chicks (Vahjen *et al.*), 489
Mixed pastures
The effect of cutting and intensive grazing managements on sward components of contrasting ryegrass and white clover types when grown in mixtures (Evans *et al.*), 317
Models
Biophysical interactions at the root–soil interface: a review (Young), 1
A basis for predictive modelling of the relationship of potato yields to population density of the potato cyst nematode *Globodera pallida* (Phillips *et al.*), 45

Quantification of the recycling of microbial nitrogen in the rumen using a mechanistic model of rumen fermentation processes (Dijkstra *et al.*), 81

Nitrogen
Evidence for differences between winter wheat cultivars in acquisition of soil mineral nitrogen and uptake and utilization of applied fertilizer nitrogen (Foulkes *et al.*), 29
Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. I. Management and effectiveness of nitrate cover crops (Allison *et al.*), 53
Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. II. Effect of cover crops on growth, yield and N requirement of sugarbeet (Allison *et al.*), 61
Nitrogen and organic matter losses during storage of cattle and pig manure (Petersen *et al.*), 69
Quantification of the recycling of microbial nitrogen in the rumen using a mechanistic model of rumen fermentation processes (Dijkstra *et al.*), 81
Mineral and slurry nitrogen effects on yield, N uptake, and apparent N-use efficiency of oilseed rape (*Brassica napus*) (Sieling *et al.*), 165
Dietary manipulation as a means of decreasing N losses and methane emissions and improving herbage N uptake following application of pig slurry to grassland (Misselbrook *et al.*), 183
The efficiency of utilization of energy and nitrogen in young sambar (*Cervus unicolor*) and red deer (*Cervus elaphus*) (Semiadi *et al.*), 193
The use of measurements of soil mineral N in understanding the response of crops to fertilizer nitrogen in intensive cropping rotations (Rahn *et al.*), 345
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality (Bacon *et al.*), 377

Nitrogen fertilizers
Evidence for differences between winter wheat cultivars in acquisition of soil mineral nitrogen and uptake and utilization of applied fertilizer nitrogen (Foulkes *et al.*), 29
The response to fertilizer nitrogen of cereals grown on sandy soils (Webb *et al.*), 271
The use of measurements of soil mineral N in understanding the response of crops to fertilizer nitrogen in intensive cropping rotations (Rahn *et al.*), 345

Oats
Effect of cultivar and fungicide treatment on the yield and nutritive value of winter and spring oat grains grown in England and Wales, 1989–91 (Haigh and Bradshaw), 411

Oilseed rape, *see Brassica* crops

Palmarosa
Productivity and economic viability of a palmarosa–pigeonpea intercropping system in the subtropical climate of north India (Singh *et al.*), 149

Pasture
Characterization of a germplasm collection of the tropical pasture legume *Centrosema brasilianum* in subhumid west Africa (Peters *et al.*), 139

Pastures
Effect of maize supplementation, seasonal temperature and humidity on the liveweight gain of steers grazing irrigated *Leucaena leucocephala*/*Digitaria eriantha* pastures in north-west Australia (Petty *et al.*), 95
Soil erosion and runoff in improved pastures of the Clwydian Range, North Wales (James and Alexander), 473

Pesticides
Effect of cultivar and fungicide treatment on the yield and nutritive value of winter and spring oat grains grown in England and Wales, 1989–91 (Haigh and Bradshaw), 411

Pests and diseases
The effects of great bustards (*Otis tarda*) on cultivated areas in west-central Spain (Pescador and Peris), 9
A basis for predictive modelling of the relationship of potato yields to population density of the potato cyst nematode *Globodera pallida* (Phillips *et al.*), 45
The relative effects of drought stress and virus yellows on the yield of sugarbeet in the UK, 1980–95 (Jaggard *et al.*), 337
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 3. Effects on diseases (Jenkyn *et al.*), 399
Crossability of wild species of *Oryza* with *O. sativa* cvs PR 106 and Pusa Basmati 1 for transfer of bacterial leaf blight resistance through interspecific hybridization (Kaushal and Ravi), 423

Photoperiod
Effect of temperature and photoperiod on growth and reproduction of *Helix aspersa* var. *maxima* (Jess and Marks), 367

Pigeonpea, *see Cajanus*

Pigs
Dietary manipulation as a means of decreasing N losses and methane emissions and improving herbage N uptake following application of pig slurry to grassland (Misselbrook *et al.*), 183

Potato
A basis for predictive modelling of the relationship of potato yields to population density of the potato cyst nematode *Globodera pallida* (Phillips *et al.*), 45
A review of some studies into tuber initiation in potato (*Solanum tuberosum*) crops (O'Brien *et al.*), 251
Effects of shading and seed tuber spacing on initiation and number of tubers in potato crops (*Solanum tuberosum*) (O'Brien *et al.*), 431

Poultry
Influence of xylanase-supplemented feed on the development of selected bacterial groups in the intestinal tract of broiler chicks (Vahjen *et al.*), 489

Rabbits
Effect of non-ionophore feed antibiotics on *in vitro* fermentation in the ovine rumen and rabbit caecum (Marounek *et al.*), 115

Reproduction
Effects of late pregnancy and early lactation on renal urea handling in Corriedale ewes (Ndibualonji *et al.*), 213

The relationship between plasma testosterone concentrations and the seasonal variation in voluntary feed intake in fallow bucks (*Dama dama*) (Newman *et al.*), 357
Effect of temperature and photoperiod on growth and reproduction of *Helix aspersa* var. *maxima* (Jess and Marks), 367

Rice
Crossability of wild species of *Oryza* with *O. sativa* cvs PR 106 and Pusa Basmati 1 for transfer of bacterial leaf blight resistance through interspecific hybridization (Kaushal and Ravi), 423

Roots
Biophysical interactions at the root–soil interface: a review (Young), 1

Rumen
Effect of transmural potential difference on Mg transport across rumen epithelium from four different breeds of sheep (Leonhard-Marek *et al.*), 241

Rumen micro-organisms
Quantification of the recycling of microbial nitrogen in the rumen using a mechanistic model of rumen fermentation processes (Dijkstra *et al.*), 81
Effect of non-ionophore feed antibiotics on *in vitro* fermentation in the ovine rumen and rabbit caecum (Marounek *et al.*), 115

Ryegrass, *see Lolium*

Selenium
The contribution of dietary sulphur to the interaction between selenium and copper in sheep (van Ryssen *et al.*), 107

Sequential cropping
The use of measurements of soil mineral N in understanding the response of crops to fertilizer nitrogen in intensive cropping rotations (Rahn *et al.*), 345
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality (Bacon *et al.*), 377
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 2. Effects on vegetation and weed control (Shield and Bacon), 389
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 3. Effects on diseases (Jenkyn *et al.*), 399

Set-aside
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality (Bacon *et al.*), 377
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 2. Effects on vegetation and weed control (Shield and Bacon), 389
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 3. Effects on diseases (Jenkyn *et al.*), 399

Sheep
The contribution of dietary sulphur to the interaction between selenium and copper in sheep (van Ryssen *et al.*), 107
Effects of late pregnancy and early lactation on renal urea handling in Corriedale ewes (Ndibualonji *et al.*), 213
The effects of feeding grass silage and molassed sugarbeet pulp either separately or as an ensiled mixture to twin-bearing ewes (O'Doherty *et al.*), 217
Complementarity of bird-resistant and non-bird-resistant varieties of sorghum stover with cottonseed cake and noug (*Guizotia abyssinica*) cake when fed to sheep (Nsahlai *et al.*), 229
Effect of transmural potential difference on Mg transport across rumen epithelium from four different breeds of sheep (Leonhard-Marek *et al.*), 241

Silage
The effects of feeding grass silage and molassed sugarbeet pulp either separately or as an ensiled mixture to twin-bearing ewes (O'Doherty *et al.*), 217

Slurries
Nitrogen and organic matter losses during storage of cattle and pig manure (Petersen *et al.*), 69
Mineral and slurry nitrogen effects on yield, N uptake, and apparent N-use efficiency of oilseed rape (*Brassica napus*) (Sieling *et al.*), 165
Dietary manipulation as a means of decreasing N losses and methane emissions and improving herbage N uptake following application of pig slurry to grassland (Misselbrook *et al.*), 183

Snails
Effect of temperature and photoperiod on growth and reproduction of *Helix aspersa* var. *maxima* (Jess and Marks), 367

Sodium
Supplementary grain and sodium propionate increase the liveweight gain and glucose entry rates of steers given molasses diets (Peiris *et al.*), 205

Soils
Biophysical interactions at the root–soil interface: a review (Young), 1
Evidence for differences between winter wheat cultivars in acquisition of soil mineral nitrogen and uptake and utilization of applied fertilizer nitrogen (Foulkes *et al.*), 29
Arbuscular mycorrhizal associations of plants colonizing coal mine spoil in India (Mehrotra), 125
The effect of seedbed condition on the grain yield and quality of spring malting barley (Conry), 135
Survey of vesicular–arbuscular mycorrhizae in lettuce production in relation to management and soil factors (Miller and Jackson), 173
The response to fertilizer nitrogen of cereals grown on sandy soils (Webb *et al.*), 271
Effect of integrated management of couch grass (*Elytrigia repens*) on soil quality and crop nutrition (Soon and Darwent), 323
The use of measurements of soil mineral N in understanding the response of crops to fertilizer nitrogen in intensive cropping rotations (Rahn *et al.*), 345
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat

crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality (Bacon *et al.*), 377
Soil erosion and runoff in improved pastures of the Clwydian Range, North Wales (James and Alexander), 473
Sorghum
Complementarity of bird-resistant and non-bird-resistant varieties of sorghum stover with cottonseed cake and noug (*Guizotia abyssinica*) cake when fed to sheep (Nsahlai *et al.*), 229
Sowing date
Plant development of triticale cv. Lasko at different sowing dates (Naylor and Su), 297
Influence of seed rate and sowing date on the yield and grain quality of Blenheim spring malting barley in the south-east of Ireland (Conry), 307
Sowing rates
Influence of seed rate and sowing date on the yield and grain quality of Blenheim spring malting barley in the south-east of Ireland (Conry), 307
Effects of shading and seed tuber spacing on initiation and number of tubers in potato crops (*Solanum tuberosum*) (O'Brien *et al.*), 431
Storage
Effect of storage system and sprout removal on post-harvest yam (*Dioscorea* spp.) fresh weight losses (Girardin *et al.*), 329
Sugarbeet
Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. I. Management and effectiveness of nitrate cover crops (Allison *et al.*), 53
Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. II. Effect of cover crops on growth, yield and N requirement of sugarbeet (Allison *et al.*), 61
The effects of feeding grass silage and molassed sugarbeet pulp either separately or as an ensiled mixture to twin-bearing ewes (O'Doherty *et al.*), 217
The relative effects of drought stress and virus yellows on the yield of sugarbeet in the UK, 1980–95 (Jaggard *et al.*), 337
Sulphur
The contribution of dietary sulphur to the interaction between selenium and copper in sheep (van Ryssen *et al.*), 107

Temperature
Yield and partitioning in crops of contrasting cultivars of winter wheat (*Triticum aestivum*) in response to CO_2 and temperature in field studies using temperature gradient tunnels (Batts *et al.*), 17
Effect of temperature and photoperiod on growth and reproduction of *Helix aspersa* var. *maxima* (Jess and Marks), 367
Controlled-temperature effects on cotton growth and development (Roussopoulos *et al.*), 451
Controlled-temperature effects on cotton yield and fibre properties (Liakatas *et al.*), 463
Trifolium
The effect of cutting and intensive grazing managements on sward components of contrasting ryegrass and white clover types when grown in mixtures (Evans *et al.*), 317
Triticale
Plant development of triticale cv. Lasko at different sowing dates (Naylor and Su), 297
Tropical crops
Productivity and economic viability of a palmarosa–pigeonpea intercropping system in the subtropical climate of north India (Singh *et al.*), 149
Tuber initiation
A review of some studies into tuber initiation in potato (*Solanum tuberosum*) crops (O'Brien *et al.*), 251
Effects of shading and seed tuber spacing on initiation and number of tubers in potato crops (*Solanum tuberosum*) (O'Brien *et al.*), 431

Urea
Effects of late pregnancy and early lactation on renal urea handling in Corriedale ewes (Ndibualonji *et al.*), 213

Weeds
Cultural control of volunteer oilseed rape (*Brassica napus*) (Pekrun *et al.*), 155
Effect of integrated management of couch grass (*Elytrigia repens*) on soil quality and crop nutrition (Soon and Darwent), 323
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 2. Effects on vegetation and weed control (Shield and Bacon), 389
Wheat
Yield and partitioning in crops of contrasting cultivars of winter wheat (*Triticum aestivum*) in response to CO_2 and temperature in field studies using temperature gradient tunnels (Batts *et al.*), 17
Evidence for differences between winter wheat cultivars in acquisition of soil mineral nitrogen and uptake and utilization of applied fertilizer nitrogen (Foulkes *et al.*), 29
Mid-parent advantage and heterosis in F_1 hybrids of wheat from crosses among old and modern varieties (Morgan), 287
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality (Bacon *et al.*), 377
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 2. Effects on vegetation and weed control (Shield and Bacon), 389
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 3. Effects on diseases (Jenkyn *et al.*), 399
White clover, *see Trifolium*

Yam, *see Dioscorea*
Yields
Yield and partitioning in crops of contrasting cultivars of winter wheat (*Triticum aestivum*) in response to CO_2 and temperature in field studies using temperature gradient tunnels (Batts *et al.*), 17

Integration of nitrate cover crops into sugarbeet (*Beta vulgaris*) rotations. II. Effect of cover crops on growth, yield and N requirement of sugarbeet (Allison *et al.*), 61
The effect of seedbed condition on the grain yield and quality of spring malting barley (Conry), 135
Influence of seed rate and sowing date on the yield and grain quality of Blenheim spring malting barley in the south-east of Ireland (Conry), 307
Effect of integrated management of couch grass (*Elytrigia repens*) on soil quality and crop nutrition (Soon and Darwent), 323
The relative effects of drought stress and virus yellows on the yield of sugarbeet in the UK, 1980–95 (Jaggard *et al.*), 337
A comparison of management regimes for one-year rotational set-aside within a sequence of winter wheat crops, and of growing wheat without interruption. 1. Effects on soil mineral nitrogen, grain yield and quality (Bacon *et al.*), 377
Effect of cultivar and fungicide treatment on the yield and nutritive value of winter and spring oat grains grown in England and Wales, 1989–91 (Haigh and Bradshaw), 411
Effects of shading and seed tuber spacing on initiation and number of tubers in potato crops (*Solanum tuberosum*) (O'Brien *et al.*), 431
Controlled-temperature effects on cotton yield and fibre properties (Liakatas *et al.*), 463